

ELDRIDGE ELECTRIC AND WATER UTILITY BOARD

November 4, 2025 – 5:00 pm

City Hall, 305 N. 3rd Street

1. Call to Order
2. Public Comment
3. Approval of Agenda
4. **Approval of Utility Board Minutes from October 21, 2025**
5. Financial & Administrative
 - A. **Consideration to Approve Bills Payable**
 - B. Department Update
6. Electric Department
 - A. Outages
 - B. Consideration to approve wage increase for Devin Gheer from \$36.91/hr to \$39.64/hr as a result of completing Module B of the IAMU apprenticeship program and pursuant to the terms of the CBA
 - C. Consideration to approve wage increase for Dalton Eagle from \$39.64/hr to \$42.38/hr as a result of completing Module C of the IAMU apprenticeship program and pursuant to the terms of the CBA
 - D. Department Update – Collin Wilson
7. Water Department
 - A. **Water Main Breaks**
 - B. **Water Test Results**
 - C. Department Update – Cegan Long
8. Adjournment

NEXT REGULAR MEETING: Tuesday, November 18, 2025, at 5:00 pm

The regular meeting of the Board of Trustees of the Eldridge Electric and Water Utility Board was called to order at 5:00 p.m. October 21st, 2025, at Eldridge City Hall.

The board members present were Michael Bristley, Mark Goodding, Jeff Hamilton, Rachael Padavich, and Abby Petersen. Also present were Gage Lane, Sadie Wagner, Cegan Long, and Collin Wilson.

Public Comment- None

Padavich Made Motion to Approve the Agenda. Second by Petersen. All Ayes. Motion Carried.

Padavich Made Motion to Approve Utility Board Minutes from October 7, 2025. Second by Goodding. All Ayes. Motion Carried.

Financial & Administrative

- A. Padavich Made Motion to Approve Bills Payable in the amount of \$77,069.98. Second by Hamilton. All Ayes. Motion Carried.
- B. Department Update- Wagner informed the Board that the auditors were on-site last week. She worked closely with them to provide all requested reports and documentation. Additionally, she submitted all signed documents related to the JDA, the amended membership agreement for the IPA, and the initial seed funding. Wagner will be out of town on Thursday, October 23rd, attending a training workshop.

Electric Department

- A. Outages- None
- B. Department Update – Wilson informed the board that the crew has been focusing on underground maintenance before the weather gets too cold. All electrical work at Genesis Wise has been completed. The next task for the crew will be to provide power to the car wash. Additionally, a pole was struck on the morning of October 21st by a garbage truck at the intersection of West Spring and South First Street.

Water Department

- A. Water Main Breaks- None
- B. Water Test Results- The recent water test results came back with all Bac-T (bacteriological) tests passing. Additionally, fluoride levels are back up to 0.70.
- C. Department Update –Long informed the board that potholing of the service lines for potential galvanized pipe replacement is underway. So far, all lines excavated have been found to be copper. Thirteen locations remain to be checked. Painting of the water tower was completed as of October 21st. The crew will begin refilling the tower this week and will verify the functionality of the T-connections before bringing it back into service by Monday, October 27th. The crew will clean the aerator on Thursday, October 23rd, with assistance from White Roofing. ROB inspection for the Clear Wheels system is scheduled for Friday, October 24th. Last week, the water crew attended the Dubuque Fall Water Conference and earned continuing education credits.

Goodding Made Motion to Adjourn at 5:06pm. Second By Hamilton. All Ayes.

Sincerely,
Gage Lane
Utility Billing Clerk

BILLS PAYABLE					
CHECK #	DEPT	FUND	VENDOR	DESCRIPTION	AMOUNT
DFT0000283	ELECTRIC	630-5-820-6503	CENTRAL MUNICIPAL POWER	ENERGY SUPPLY	\$ 203,141.69
DFT0000310	ELECTRIC	630-5-820-6402	FIRST CENTRAL STATE BANK	MAINTENANCE FEE	\$ 185.78
227092	WATER	600-5-810-6150	DELTA DENTAL	DELTA DENTAL	\$ 274.56
227092	ELECTRIC	630-5-820-6150	DELTA DENTAL	DELTA DENTAL	\$ 174.27
227093	WATER	600-5-810-6150	DELTA DENTAL - LTD	DELTA DENTAL - LTD	\$ 49.02
227093	ELECTRIC	630-5-820-6150	DELTA DENTAL - LTD	DELTA DENTAL - LTD	\$ 126.11
227094	WATER	600-5-810-6150	DELTA DENTAL- BASIC	DELTA DENTAL- BASIC	\$ 11.40
227094	ELECTRIC	630-5-820-6150	DELTA DENTAL- BASIC	DELTA DENTAL- BASIC	\$ 26.60
227095	WATER	600-5-810-6150	WELLMARK BLUE CROSS	PREMIUMS	\$ 2,743.06
227095	ELECTRIC	630-5-820-6150	WELLMARK BLUE CROSS	PREMIUMS	\$ 2,665.93
227096	WATER	600-5-810-6311	ACCO UNLIMITED CORP.	CHEMICAL PUMP MAINTENANCE	\$ 1,130.69
227097	WATER	600-5-810-6411	AHLERS & COONEY P.C.	MISO TARIFF/ORDINANCE REVIEW	\$ 3,264.00
227097	ELECTRIC	630-5-820-6411	AHLERS & COONEY P.C.	CMPAS CONTRACT	\$ 9,384.00
227097	ELECTRIC	630-5-820-6411	AHLERS & COONEY P.C.	MISO TARIFF/ORDINANCE REVIEW	\$ 374.00
227098	WATER	600-5-810-6506	AMAZON CAPITAL SERVICES	PHONE CASE	\$ 8.37
227098	ELECTRIC	630-5-820-6181	AMAZON CAPITAL SERVICES	HARD HATS PPE	\$ 77.44
227099	WATER	600-5-810-6373	BOHNSACK & FROMMELT LLP	AUDIT	\$ 1,259.38
227099	ELECTRIC	630-5-820-6401	BOHNSACK & FROMMELT LLP	AUDIT	\$ 1,259.36
227100	WATER	600-5-810-6506	CINTAS FIRST AID & SAFETY D89	MEDICINE CABINET	\$ 7.53
227100	ELECTRIC	630-5-820-6310	CINTAS FIRST AID & SAFETY D89	FIRST AID KIT	\$ 66.97
227101	ELECTRIC	630-5-820-6506	DE NOVO MARKETING	LARGE ITEM PICKUP FORM UPDATE	\$ 200.00
227102	ELECTRIC	630-5-820-6560	FLETCHER-REINHARDT CO.	INVENTORY	\$ 4,404.00
227102	ELECTRIC	630-5-820-6560	FLETCHER-REINHARDT CO.	INVENTORY	\$ 3,423.60
227103	WATER	600-5-810-6213	GENESIS OCCUPATIONAL HEALTH	DOT PHYSICAL C LONG	\$ 115.00
227104	WATER	600-5-810-6723	GRAINGER	OPERATIONS MATERIALS	\$ 76.20
227105	WATER	600-5-810-6501	HAWKINS INC.	DISINFECTING BLEACH	\$ 60.54
227106	WATER	600-5-810-6213	IA ASSN. MUNICIPAL UTIL.	SAFETY TRAINING OCT-DEC 2025	\$ 1,470.16
227106	ELECTRIC	630-5-820-6441	IA ASSN. MUNICIPAL UTIL.	SAFETY TRAINING OCT-DEC 2025	\$ 1,470.16
227107	WATER	604-5-810-6407	ISG I&S GROUP, INC.	HYDRAULIC ANALYSIS	\$ 4,061.50
227108	WATER	604-5-810-6750	J.R. STELZER CO	WATER TOWER PROJECT	\$ 268,949.75
227109	WATER	600-5-810-6311	LINOH20	EQUIPMENT CLAIBRATION	\$ 1,323.00
227110	WATER	600-5-810-6310	MENARDS	YARD FERTILIZER	\$ 63.96
227110	WATER	600-5-810-6723	MENARDS	OPERATIONS MATERIAL	\$ 57.82
227111	ELECTRIC	630-5-820-6310	MERSCHMAN HARDWARE	PROPANE FILL	\$ 29.99
227112	WATER	600-5-810-6371	MIDAMERICAN ENERGY COMPANY	401 S 16TH AVE GENERATOR	\$ 15.63
227112	WATER	600-5-810-6371	MIDAMERICAN ENERGY COMPANY	851N 1ST ST WELL 5	\$ 41.95
227112	WATER	600-5-810-6371	MIDAMERICAN ENERGY COMPANY	853 N 1ST GENERATOR	\$ 33.58
227112	WATER	600-5-810-6371	MIDAMERICAN ENERGY COMPANY	212 N 3RD ST	\$ 16.67
227112	WATER	600-5-810-6371	MIDAMERICAN ENERGY COMPANY	503 W DONAHUE ST	\$ 22.43
227112	ELECTRIC	630-5-820-6371	MIDAMERICAN ENERGY COMPANY	120 E IOWA ST	\$ 16.15
227113	WATER	600-5-810-6331	NAPA AUTO PARTS	DIAG. TABLET	\$ 606.44
227113	ELECTRIC	630-5-820-6332	NAPA AUTO PARTS	FILTERS	\$ 174.69
227113	ELECTRIC	630-5-820-6332	NAPA AUTO PARTS	DIAG. TABLET	\$ 606.44
227114	WATER	600-5-810-6310	PLEASANT VALLEY REDI-MIX INC	CONCRETE REPAIRS	\$ 252.33
227115	WATER	600-5-810-6723	PLUMB SUPPLY	MAIN BREAK EQUIPMENT	\$ 1,007.51
227116	WATER	600-5-810-6373	PRECISION CONCEPTS	ANNUAL HOSTING FEES FOR ACCESS CONTROL	\$ 161.88
227116	ELECTRIC	630-5-820-6373	PRECISION CONCEPTS	ANNUAL HOSTING FEES FOR ACCESS CONTROL	\$ 80.94
227117	WATER	600-5-810-6373	QUAD CITIES TAS	ANSWERING SERVICE	\$ 2.73
227117	ELECTRIC	630-5-820-6450	QUAD CITIES TAS	ANSWERING SERVICE	\$ 2.73
227118	ELECTRIC	630-5-820-6507	RESCO	SUBDIVISION SUPPLIES	\$ 3,578.98
227119	WATER	600-5-810-6310	RIVERSTONE GROUP INC	MAIN BREAK GRAVEL REPLACEMENT	\$ 127.86
227120	ELECTRIC	630-5-820-6457	SKARSHAUG TESTING LAB	GLOVE/SLEEVE TESTING	\$ 181.87
227121	ELECTRIC	630-5-820-6507	STUART C IRBY CO	SUBDIVISION SUPPLIES	\$ 1,394.72
227121	ELECTRIC	630-5-820-6507	STUART C IRBY CO	SUBDIVISIONS SUPPLIES	\$ 674.10
227122	WATER	600-5-810-6560	VAN WERT INC	METERS AND RADIOPS	\$ 6,578.41
ACH	SPLIT	SPLIT	PAYROLL 10/23/25	PAYROLL 10/23/25	\$ 37,979.21
ACH	WATER	600-5-810-6040	PAYROLL 10/31/25	C. LONG OT	\$ 345.43
TOTAL					\$ 565,838.52

WATER MAIN BREAK REPORT

Date: 10/22/2025 – 10/23/2025

Address: 600 E LeClaire Rd

Duration: 2 hours 10/22/2025, 7 hours 10/23/2025

Estimated Water Loss: 25,000 gallons

of Customers: 7 commercial customers

Notes: Greg Obrien with the wastewater department called at 8:08 PM on 10/22/25 saying someone saw a water main break at 600 E LeClaire Rd. Shortly after Tony Rupe texted to notify of the break and the Eldridge PD also called. Thank you to all three for calling and texting!

Locates called at 8:33 PM.

8" water main underneath E LeClaire Rd. Road required to be cut for safety. Eldridge does not possess a saw large enough to cut the concrete. On the night of 10/22/25, 5 valves were shut or slowed down to control the flow to limit the damage and loss of water.

10/23/25 work on the road immediately began. Ihrig Construction cut the road. Thank you to the public works department for letting the water department borrow trucks and setting up the road signs in the westbound lane where work was conducted. Thank you to the electric department for assisting in getting the site and equipment set up.

After excavation the repair was made just after 2:00 PM. Clean up and backfill ensued and water staff was complete with the break at 5:00 PM.

Overall, it was a great team success. Thank you to each department and person that assisted in each step, big or small.

Cegan Long
Water Superintendent
clong@cityofeldridgeia.org

Laboratory Report

Eldridge, City of
 Cegan Long
 305 North 3rd Street
 Eldridge, IA 52748

Date Received: 10/07/25 12:50
Date Reported: 10/21/25 10:49
Project: PWS ID # IA8230008 Eldridge
 Email reports and Invoice

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 1050 W. Maple Ct. - Routine Grab			Date Sampled: 10/06/25 10:40	Date Received: 10/07/25 12:50		
Lab No.: 25J0718-01			Sampled by: Cegan Long			

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 12:50	ad	SM 9223B	
Field Chlorine	3.39	mg/L	10/06/25 10:40	Cegan Lc	SM 4500 Cl G	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 102 W Harvest St - Routine Grab			Date Sampled: 10/06/25 10:56	Date Received: 10/07/25 12:50		
Lab No.: 25J0718-02			Sampled by: Cegan Long			

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 12:50	ad	SM 9223B	
Field Chlorine	3.65	mg/L	10/06/25 10:56	Cegan Lc	SM 4500 Cl G	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 212 N 3rd St - Routine Grab			Date Sampled: 10/06/25 11:07	Date Received: 10/07/25 12:50		
Lab No.: 25J0718-03			Sampled by: Cegan Long			

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 12:50	ad	SM 9223B	
Field Chlorine	3.66	mg/L	10/06/25 11:07	Cegan Lc	SM 4500 Cl G	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 120 S. 3rd Ave.- Routine Grab			Date Sampled: 10/06/11 11:17	Date Received: 10/07/25 12:50		
Lab No.: 25J0718-04			Sampled by: Cegan Long			

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 12:50	ad	SM 9223B	
-----------------	----------	------------	----------------	----	----------	--

Analysis Certified by:

 Randall Wanke, Ph.D.

Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Eldridge, City of
 305 North 3rd Street
 Eldridge IA, 52748

Project: PWS ID # IA8230008 Eldridge

Email reports and Invoice

Reported:

10/21/25 10:49

Client Contact: Cegan Long

Field Chlorine	3.53	mg/L	10/06/11 11:17	Cegan Lc	SM 4500 Cl G
----------------	------	------	----------------	----------	--------------

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
---------	--------	-------	----------	---------	--------	-------

Sample ID: 361 Country Club Ct. - Routine Grab

Date Sampled: 10/06/25 11:30

Date Received: 10/07/25 12:50

Lab No.: 25J0718-05

Sampled by: Cegan Long

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 12:50	ad	SM 9223B
Field Chlorine	2.62	mg/L	10/06/25 11:30	Cegan Lc	SM 4500 Cl G

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
---------	--------	-------	----------	---------	--------	-------

Sample ID: 120 N 2nd St - Routine Grab

Date Sampled: 10/07/25 8:36

Date Received: 10/07/25 12:50

Lab No.: 25J0718-06

Sampled by: Cegan Long

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 14:29	kt	SM 9223B
Field Chlorine	2.67	mg/L	10/07/25 8:36	Cegan Lc	SM 4500 Cl G

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
---------	--------	-------	----------	---------	--------	-------

Sample ID: 807 Sawgrass Ct - Routine Grab

Date Sampled: 10/07/25 9:07

Date Received: 10/07/25 12:50

Lab No.: 25J0718-07

Sampled by: Cegan Long

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 14:29	kt	SM 9223B
Field Chlorine	2.96	mg/L	10/07/25 9:07	Cegan Lc	SM 4500 Cl G

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
---------	--------	-------	----------	---------	--------	-------

Sample ID: 1075 Rustic View Ct - Routine Grab

Date Sampled: 10/07/25 9:20

Date Received: 10/07/25 12:50

Lab No.: 25J0718-08

Sampled by: Cegan Long

Classical Chemistry Parameters

Total Coliforms	Negative	MPN/100 mL	10/07/25 14:29	kt	SM 9223B
Field Chlorine	2.38	mg/L	10/07/25 9:20	Cegan Lc	SM 4500 Cl G

N-1 Negative
 _A Bacteria Absent

Iowa SDWA Form

Lab Sample ID # 25J0718-01

Facility Name:

PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

Total Chlorine

— . —

3 . 39

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM) PM)

1 0

0 6

2 0 2 5

1 0

4 0

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

1050 W Maple Ct.

Long, Cegan

Client Signature

Print name

Date 10/6/25

Time 10:45

Lab Signature

Print name

Date 10-7-25

Time 12:51

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 2510718-02

Facility Name: PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

Total Chlorine

— . —

3 . 65

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM) - PM

1 0

0 6

2 0 2 5

1 0

5 6

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

102 W Harvest St

Long, Cegan

Client Signature



Print name

Cegan Long

Date

10/6/25

Time

10:59

Lab Signature



Print name

Jon Buchner

Date

10-7-25

Time

12:54

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 25J0718-03

Facility Name:

PWS ID:

Eldridge

IA 8230008

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

- . -

Total Chlorine

3 . 66

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM) PM

1 0

0 6

2 0 2 5

1 1

0 7

Facility ID

950

Sampling Point ID (use facility ID, if not #assigned)

950

Sample Collection Location:

212 N 3rd St

Sample Collector (last name, first name)

Long, Cegan

Client Signature



Print name

Cegan Long

Date 10/6/25

Time 11:08

Lab Signature



Print name

Jon Bultner

Date 10-7-25

Time 12:55

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 25J0718-04

Facility Name: PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

— . —

Total Chlorine

3 . 53

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month Day Year Time: Hour Minutes (AM) PM

1 0 0 6 2 0 2 5 1 1 1 7 (AM) PM

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950	950
-----	-----

Sample Collection Location:

Sample Collector (last name, first name)

120 S 3 rd Ave	Long, Cegan
---------------------------	-------------

Client Signature

Print name

Date 10/6/25

Time 11:20

Lab Signature

Print name

Date 10-7-25

Time 12:58

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 2510718-05

Facility Name:

PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

Total Chlorine

—	.	—
---	---	---

2	.	62
---	---	----

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM) - PM)

1	0
---	---

0	6
---	---

2	0	2	5
---	---	---	---

1	1
---	---

3	0
---	---

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

361 Country Club Ct.

Long, Cegan

Client Signature

Print name

Date 10/06/25

Time 11:33

Lab Signature

Print name

Date 10-7-25

Time 13:00

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 250718-06

Facility Name: PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

—	.	—
---	---	---

Total Chlorine

2	.	67
---	---	----

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month Day Year Time: Hour Minutes (AM) - PM

1	0	0	7
---	---	---	---

2	0	2	5
---	---	---	---

0	8
---	---

3	6
---	---

Facility ID

950

Sampling Point ID (use facility ID, if not #assigned)

950

Sample Collection Location:

120 N 2nd St

Sample Collector (last name, first name)

Long, Cegan

Client Signature



Print name

Cegan Long

Date 10/7/25

Time 8:38

Lab Signature



Print name

Jon Bultman

Date 10-7-25

Time 13:01

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications, Iowa (113)

Iowa SDWA Form

Lab Sample ID # 25J0718-07

Facility Name: PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one-->)	upstream downstream original
☐	Special	

Free Chlorine

-	.	-
---	---	---

Total Chlorine

2	.	96
---	---	----

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month Day Year Time: Hour Minutes (AM - PM)

1	0	0	7	2	0	2	5	0	9	0	7	AM
---	---	---	---	---	---	---	---	---	---	---	---	----

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

807 Sawgrass Ct.

Long, Cegan

Client Signature [Signature] Print name Cegan Long

Date 10/7/25 Time 9:09

Lab Signature [Signature] Print name Jon Butthner

Date 10-7-25 Time 13:03

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Iowa SDWA Form

Lab Sample ID # 25J0718-08

Facility Name:

PWS ID:

Eldridge

IA 8230008

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☒	Routine	
☐	Triggered	SEP#
☐	Repeat (circle one->)	upstream downstream original
☐	Special	

Free Chlorine

— . —

Total Chlorine

2 . 38

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM - PM)

1 0

0 7

2 0 2 5

0 9

2 0

Facility ID

950

Sampling Point ID (use facility ID, if not #assigned)

950


Sample Collection Location:

1075 Rustic View Ct

Sample Collector (last name, first name)

Long, Cegan

Client Signature




Print name

Cegan Long

Date 10/7/25

Time 9:24

Lab Signature



Print name

Jon Butcher

Date

10-7-25

Time

13:04

Laboratory Report

Eldridge, City of
Cegan Long
305 North 3rd Street
Eldridge, IA 52748

Date Received: 10/08/25 13:51
Date Reported: 10/21/25 10:49
Project: PWS ID # IA8230008 Eldridge
Email reports and Invoice

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 505 W. Donahue St. Grab			Date Sampled: 10/08/25 10:22	Date Received: 10/08/25 13:51		
Lab No.: 25J0851-01			Sampled by: Cegan Long			
<i>Classical Chemistry Parameters</i>						
Fluoride	0.705	mg/L	10/10/25 16:49	EV	EPA 300.0	
Field Fluoride	0.69	mg/L	10/08/25 10:22	Cegan Long		

Analysis Certified by:

 Randall Wanke, Ph.D.

Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Iowa SDWA Form

Lab Sample ID # 25J0851-01

Facility Name:

PWS ID:

Eldridge

IA 8230008

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Fluoride	Contact Person:	Mail Report:
Hold time: 28 days	Contact Phone:	Email Report:

Total Fluoride (Field)

0 . 69

Lab Tech Note:
Add Field Data Analysis
Fluoride at Log-in

Sample date: Month

Day

Year

Time: Hour

Minutes (AM) PM)

1 0

0 8

2 0 2 5

1 0

2 2

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

505 W. Donahue St

Long, Cegan

Client Signature

Print name

Cegan Long

Date

10/8/25

Time

10:22

Lab Signature

Print name

Jon Bultner

Date

10-8-25

Time

13:52

Laboratory Report

Eldridge, City of
Cegan Long
305 North 3rd Street
Eldridge, IA 52748

Date Received: 10/27/25 13:59
Date Reported: 10/31/25 15:15
Project: PWS ID # IA8230008 Eldridge
Email reports and Invoice

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 401 S 16th Ave. Water Tower Grab			Date Sampled: 10/27/25 12:08	Date Received: 10/27/25 13:59		
Lab No.: 25J2715-01			Sampled by: Cegan Long			
Classical Chemistry Parameters						
Total Coliforms	Negative	MPN/100 mL	10/27/25 14:00	ad	SM 9223B	
N-1	Negative					
A	Bacteria Absent					

Analysis Certified by:

 Randall Wanke, Ph.D.

Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Iowa SDWA Form

Lab Sample ID # 2502715-01

Facility Name:

PWS ID:

Eldridge	IA 8230008
----------	------------

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☐	Routine	
☐	Triggered	SEP# _____
☐	Repeat (circle one->)	upstream downstream original
☒	Special	

Free Chlorine

—	.	—
---	---	---

Total Chlorine

0	.	96
---	---	----

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM PM)

1	0
---	---

2	7
---	---

2	0	2	5
---	---	---	---

1	2
---	---

0	8
---	---

Facility ID

Sampling Point ID (use facility ID, if not #assigned)

950

950

Sample Collection Location:

Sample Collector (last name, first name)

401 S 16th Ave. Water Tower

Long, Cegan

Client Signature



Print name

Cegan Long

Date 10/27/25

Time 12:08

Lab Signature



Print name

CR: VAN HES

Date

10/27/25

Time

1:00

QC Analytical Services participates in the following accreditation/certification and proficiency programs at the following locations.

Endorsement by Federal or State Governments or their agencies is not implied.

Drinking Water Certifications: Iowa (113)

Laboratory Report

Eldridge, City of
Cegan Long
305 North 3rd Street
Eldridge, IA 52748

Date Received: 10/28/25 14:24
Date Reported: 10/31/25 15:15
Project: PWS ID # IA8230008 Eldridge
Email reports and Invoice

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
Sample ID: 401 S 16th Ave Water Tower Grab			Date Sampled: 10/28/25 13:22	Date Received: 10/28/25 14:24		
Lab No.: 25J2828-01			Sampled by: Cegan Long			
Classical Chemistry Parameters						
Total Coliforms	Negative	MPN/100 mL	10/28/25 14:25	ad	SM 9223B	
N-1	Negative					
A	Bacteria Absent					

Analysis Certified by:

 Randall Wanke, Ph.D.

Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Iowa SDWA Form

Lab Sample ID # 25J2828-01

Facility Name:

PWS ID:

Eldridge

IA 8230008

Test analysis (Please Circle, Check or Write-in) (Check IA DNR Permit for Accuracy)

Total Coliform Water samples must be analyzed within 30 hours of collection.	Contact Person:	Mail Report:
	Contact Phone:	Email Report:

Sample Type:

(Check one)

☐	Routine	
☐	Triggered	SEP#
☐	Repeat (circle one->)	upstream downstream original
☒	Special	

Free Chlorine

— . —

Total Chlorine

3 . 07

Lab Tech Note:
Add Field Data Analysis
Total Chlorine at Log-in on
to Res. Cl mg/L tab.

Sample date: Month

Day

Year

Time: Hour

Minutes (AM - PM)

1 0

2 8

2 0 2 5

0 1

2 2

Facility ID

950

Sampling Point ID (use facility ID, if not #assigned)

950

Sample Collection Location:

401 S 16th Ave. Water Tower

Sample Collector (last name, first name)

Long, Cegan

Client Signature



Print name


Cegan Long

Date 10/28/25

Time

1:22 pm

Lab Signature



Print name

Date

10-28-25

Time

2:11